## SAFETY DATA SHEET according to Appen II to BEACH - Regulation 201

according to Annex II to REACH - Regulation 2015/830

Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Code: Product name Chemical name and synonym

M3000000F POINT POLY FIX COMP A Mastic based polyester resin unsaturated

- 1.2
   Relevant identified uses of the substance or mixture and uses advised against

   Intended use
   Bi-component injection system for chemical anchor construction materials.
- 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: JSC TEGRA STATE Kirtimų str. 67 LT-02244 Vilnius Tel./fax +370 5 266 11 67 E-post: info@tegra.lt Internet: www.tegra.lt, www.tegrastate.lt
   Further information obtainable from: info@tegra.lt
- **1.4 Emergency telephone number:** In case of emergency, consult physician.

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU)

Regulation 2015/830 Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2	H319	Causes serious eye irritation.
Skin irritation, category 2	H315	Causes skin irritation.
Skin sensitization, category 1	H317	May cause an allergic skin reaction.
Hazardous to the aquatic		
environment, chronic	H412	Harmful to aquatic life with long lasting effects.
toxicity, category 3		

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



according to Annex II to REACH - Regulation 2015/830

Revision nr. 8 Printed on 16/05/2019 Dated 15/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

Signal words:	Warning
Hazard statements: H319 H315 H317 H412	Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements: P101 P102 P280 P302+P352 P333+P313 P501	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wear protective gloves / eye protection / face protection. IF ON SKIN: wash with plenty of water / If skin irritation or rash occurs: Get medical advice / attention. Dispose of contents/container in accordance with national regulations.
Contains:	2-Hydroxyethyl methacrylate

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
2-Hydroxyethy	d methacrylate	
CAS	868-77-9 5 ≤ x < 11	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Skin Sens. 1 H317, Classification note according to Annex VI to the CLP Regulation: D
EC	212-782-2	-
INDEX	607-124-00-X	
Reg. no. <b>Vinyltoluene</b>	01-2119490169-29	
CAS 2	5013-15-4 5≤x<9	Flam. Liq. 3 H226, Acute Tox. 4 H332, Asp. Tox. 1 H304, Eye Irrit. 2 H319, Skin Irrit. 2 H315, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC INDEX	246-562-2	
Reg. no.	01-2119622074-50	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Quartz (SiO2) - CAS 14808-60-7 - C%: >=50 - <80:

The quartz contained in the product is classified as non-hazardous. Furthermore, being linked to the other liquid / pasty components of the mixture, it is not freely available during use. The final product has a pasty consistency and the limits of exposure to inhalable dusts are not relevant. Page 2



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problempersists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

- 4.2. Most important symptoms and effects, both acute and delayed Specific information on symptoms and effects caused by the product are unknown.
- 4.3. Indication of any immediate medical attention and special treatment needed Information not available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EOUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters

**GENERAL INFORMATION** 

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water o prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### SPECIAL PROTECTIVE EOUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots(HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in whichpeople eat. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

Store in a well ventilated place, storage range temperature between 5°C and 30°C. Keeping the containers closed when not used. Do not smoke while handling. Keep far away from sources of heat, naked flames and sparks and other sources of ignition. Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity.

#### 7.3. Specific end use(s)

Information not available



according to Annex II to REACH - Regulation 2015/830

Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Regulatory References: TLV-ACGIH ACGIH 2018

			2-Hydrox	yethyl meth	acrylate				
Predicted r	no-effect cor	centration -	PNEC						
Normal valu	ie in fresh wa	iter				0,482	mg/l		
Normal valu	ie in marine v	water				0,482	mg/l	mg/l	
Normal valu	ie for fresh w	ater sedimen	t			3,79	mg/kg/d		
Normal valu	le for marine	water sedime	ent			3,79	mg/kg/d		
Normal valu	ie for water, i	ntermittent re	elease			1	mg/l		
Normal valu	ie of STP mic	roorganisms				10	mg/l		
Normal valu	le for the terr	estrial compa	rtment			0,476	mg/kg/d		
Health - De	rived no-eff	ect level - DN	IEL / DMEL			1	1		
	Effects on	consumers				Effects on workers			
Route of exposure	Acute	Acute	Chronic	Chronic	Acute local	Acute	Chronic	Chronic	
	local	systemic	local	systemic		systemic	local	systemic	
Oral				0,83 mg/kg bw/d					
Inhalation				2,9 mg/m <sup>3</sup>				4,9 mg/m <sup>3</sup>	
Skin				0,83 mg/kg/d				1,3 mg/kg	
								bw/d	

Vinyltoluene						
Threshold Limit Value						
Туре	Country	TWA/8h		STEL/15min		
		mg/m³	ppm	mg/m³	ppm	
TLV-ACGIH			50		100	

#### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

Quartz (SiO2):

The quartz contained in the product is classified as non-hazardous. Furthermore, being linked to the other liquid / pasty components of the mixture, it is not freely available during use. The final product has a pasty consistency and the limits of exposure to inhalable dusts are not relevant.



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

#### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards. Provide an emergency shower with face and eye wash station.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### **RESPIRATORY PROTECTION**

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited. If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in complianc with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

#### ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	paste
Colour	cream
Odour	characteristic
Odour threshold	Not available
рН	Not available
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not available



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

**Evaporation Rate** Not available Flammability of solids and gases Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Not available Vapour pressure Vapour density Not available **Relative density** 1,60 - 1,80 kg/l Solubility insoluble in water Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Not available Viscosity **Explosive properties** Not available Oxidising properties Not available

#### 9.2. Other information

Information not available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage. To avoid the exposure on the sunlight.

#### 10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

#### 10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.



according to Annex II to REACH - Regulation 2015/830

Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

### **SECTION 11: Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information Information not available

Information on likely routes of exposure Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available

Interactive effects Information not available

ACUTE TOXICITY LC50 (Inhalation) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture:

2-Hydroxyethyl methacrylate LD50 (Oral) LD50 (Dermal)

Vinyltoluene LD50 (Oral) LD50 (Dermal) LC50 (Inhalation) > 20 mg/lNot classified (no significant component) Not classified (no significant component)

5564 mg/kg RAT > 5000 mg/kg RBT

3680 mg/kg RAT > 4990 mg/kg RBT 3535 ppm/4h RAT

**SKIN CORROSION / IRRITATION** Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation

**RESPIRATORY OR SKIN SENSITISATION** Sensitising for the skin

GERM CELL MUTAGENICITY Does not meet the classification criteria for this hazard class

CARCINOGENICITY Does not meet the classification criteria for this hazard class

**REPRODUCTIVE TOXICITY** Does not meet the classification criteria for this hazard class





Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

**STOT - SINGLE EXPOSURE** Does not meet the classification criteria for this hazard class

**STOT - REPEATED EXPOSURE** Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD Does not meet the classification criteria for this hazard class

## **SECTION 12: Ecological information**

This product is dangerous for the environment and the aquatic organisms. In the long term, it have negative effects on aquatic environment.

#### 12.1. Toxicity

12.1. IOXICITY					
2-Hydroxyethyl methacrylate					
LC50 - for Fish	> 100 mg/l/96h (OECD TG 203)				
EC50 - for Crustacea	> 380 mg/l/48h				
EC50 - for Algae / Aquatic Plants	836 mg/l/72h				
Chronic NOEC for Fish	< 100 mg/l (OECD TG 211)				
Chronic NOEC for Crustacea	24,1 mg/l				
Chronic NOEC for Algae / Aquatic Plants	400 mg/l 72 h				
	·····				
Vinyltoluene					
LC50 - for Fish	5,2 mg/l/96h				
EC50 - for Crustacea	9,3 mg/l/48h				
EC50 - for Algae / Aquatic Plants	0,319 mg/l/72h				
EC10 for Algae / Aquatic Plants	0,25 mg/l/72h				
ECTO IOT Algae / Aquatic Flattis	0,23 1119/1/7211				
12.2. Persistence and degradability					
2-Hydroxyethyl methacrylate					
Rapidly degradable	Deadily biodegradable in water				
Rapidly degradable	Readily biodegradable in water.				
Vieudte luces e					
Vinyltoluene					
NOT rapidly degradable					
12.2 Disconstructive restantial					
12.3. Bioaccumulative potential					
2-Hydroxyethyl methacrylate					
Partition coefficient: n-octanol/water	0,42 Log Kow				
Vinyltoluene					
Partition coefficient: n-octanol/water	3,44 Log Kow				
12.4. Mobility in soil					
Information not available					
12.5. Results of PBT and vPvB assessment					
On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.					

12.6. Other adverse effects

Information not available



according to Annex II to REACH - Regulation 2015/830

Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

## **SECTION 13: Disposal considerations**

Non-hardened material (such as expired or damaged products and/or rejects): e.g. 08 04 09\* Glue and sealing materials waste containing organic solvents or other dangerous substances

Hardened material, e.g.:

08 04 10 Glue and sealing materials waste or other dangerous substances, other than classified under 08 04 09.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

15 01 10\* Packaging containing residues of or contaminated by dangerous substances

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## **SECTION 14: Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

#### 14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Information not relevant



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 Product Point 3

Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH) None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available riskassessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/ EC directive is respected.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

## **SECTION 16: Other information**

Text of hazard (H) indications	mentioned in section 2-3 of the sheet:
Flam. Liq. 3	Flammable liquid, category 3
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H226	Flammable liquid and vapour.
H332	Harmful if inhaled.
H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP A

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 03.



according to Annex II to REACH - Regulation 2015/830

Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Code: Product name Chemical name and synonym

M2000022F POINT POLY FIX COMP B Mastic based peroxide

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use **Bi-component injection system for chemical** anchor on construction materials.

#### 1.3. Details of the supplier of the safety data sheet

JSC TEGRA STATE Kirtimy str. 67 LT-02244 Vilnius Tel./fax +370 5 266 11 67 E-post: info@tegra.lt Internet: www.tegra.lt, www.tegrastate.lt Further information obtainable from: info@tegra.lt

**1.4.** Emergency telephone number: In case of emergency, consult physician.

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in(EC) Regulation 1272/2008 (CLP) (and subsequent amendment and supplements). The product thus requires a safety datasheet that\complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication: Eye irritation, category 2 H319 Skin sensitization, category 1 H317

Causes serious eye irritation. May cause an allergic skin reaction.

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Warning

Hazard statements: H319 H317

Causes serious eye irritation. May cause an allergic skin reaction.



according to Annex II to REACH - Regulation 2015/830

Revision nr. 8Printed on 16/05/2019Dated 15/05/2019Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

Precautionary statements:	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	IF ON SKIN: wash with plenty of water /
P333+P313	If skin irritation or rash occurs: Get medical advice / attention.
P501	Dispose of contents/container in accordance with national regulations.
Contains:	Dibenzoyl peroxide

#### 2.3. Other hazards

Ρ

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## SECTION 3: Composition/information on ingredients

3.2.	<b>Mixtures</b> Contains:			
	Identificati	on	x = Conc. %	Classification 1272/2008 (CLP)
	Dibenzoy	l peroxide		
	CAS	94-36-0	11 ≤ x < 17	Org. Perox B H241, Eye Irrit. 2 H319, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=10, Aquatic Chronic 1 H410 M=10
	EC		202-327-6	-
	INDEX		617-008-00-0	
	Reg. no.		01-2119511472-50	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Quartz (SiO2) - CAS 14808-60-7 - C%: >=50 - <80: The quartz contained in the product is classified as non-hazardous. Furthermore, being linked to the other liquid / pasty components of the mixture, it is not freely available\ during use. The final product has a pasty consistency and the limits of exposure to inhalable dusts are not relevant.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

4.3. Indication of any immediate medical attention and special treatment needed Information not available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EOUIPMENT None in particular.

## 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

### 5.3. Advice for firefighters

**GENERAL INFORMATION** 

Use jets of water to cool the containers to prevent product decomposition. and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Store in a well ventilated place, storage range temperature between 5°C and 30°C. Keeping the containers closed when not used. Do not smoke while handling. Keep far away from sources of heat, naked flames and sparks and other sources of ignition. Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity.

#### 7.3. Specific end use(s)

Information not available



according to Annex II to REACH - Regulation 2015/830

Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

**Regulatory References:** 

TLV-ACGIH

ACGIH 2018

			Dib	enzoyl perox	ide				
Threshold I	Limit Value								
Туре	C	ountry T	WA/8h	ST	EL/15n	nin	·		
		r	ng/m³ pp	om mg	J∕m³ p	ppm			
TLV-ACGIH			5						
Predicted n	o-effect con	centration -	PNEC						
Normal valu	ie in fresh wa	ter					0,00002	mg/l	
Normal valu	ie in marine v	water					0,000002	mg/l	
Normal valu	ie for fresh w	ater sedimen	t				0,0127	mg/kg/d	
Normal valu	ie for marine	water sedim	ent				0,00127	mg/kg/d	
Normal valu	ie for water, i	ntermittent r	elease				0,000602	mg/l	
Normal valu	ie of STP mic	roorganisms					0,35	mg/l	
Normal valu	ie for the terr	estrial compa	artment				0,0025	mg/kg/d	
Health - De	rived no-eff	ect level - DI	NEL / DMEL						
	Effects on	consumers					Effects or	workers	
Route of exposure	Acute	Acute	Chronic	Chronic	Acu loc		Acute	Chronic	Chronic
	local	systemic	local	systemic			systemic	local	systemic
Oral		·		2 mg/kg bw/d					
Inhalation									39 mg/m³
Skin									13,3 mg/kg

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

#### Quartz (SiO2):

The quartz contained in the product is classified as non-hazardous. Furthermore, being linked to the other liquid / pasty components of the mixture, it is not freely available during use. The final product has a pasty consistency and the limits of exposure to inhalable dusts are not relevant.

#### 8.2. Exposure controls

T**eg**ra

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

bw/d

Revision nr. 8 Dated 15/05/2019

Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

**RESPIRATORY PROTECTION** 

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	paste
Colour	black
Odour	characteristic
Odour threshold	Not available
рН	Not available
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	Not available
Evaporation Rate	Not available
Flammability of solids and gases	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	1,50 - 1,70 kg/l



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

Solubility	
Partition coefficient: n-octanol/water	
Auto-ignition temperature	
Decomposition temperature	
Viscosity	
Explosive properties	
Oxidising properties	

Not available Not available Not available Not available Not available Not available

< 1

Not available

## 9.2. Other information

Ossigeno attivo (%)

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Information not available

#### 10.2. Chemical stability

The product is stable if stored in original containers at temperatures lower than the self accelerated decomposition temperature (SADT).

To avoid the exposure on the sunlight.

#### 10.3. Possibility of hazardous reactions

Information not available

#### 10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition. Avoid transferring into containers that may have been contaminated with other substances. Avoid storing close to inflammable or combustible products.

#### 10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

#### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the formation of explosive peroxides or other potentially hazardous substances.

## **SECTION 11: oxicological information**

#### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information Information not available

Information on likely routes of exposure Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

Interactive effects Information not available

ACUTE TOXICITY LC50 (Inhalation) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture:

Dibenzoyl peroxide LD50 (Oral) LC50 (Inhalation) Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

> 2000 mg/kg RAT > 24,3 mg/l/4h RAT

<u>SKIN CORROSION / IRRITATION</u> Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION Causes serious eye irritation

<u>RESPIRATORY OR SKIN SENSITISATION</u> Sensitising for the skin

<u>GERM CELL MUTAGENICITY</u> Does not meet the classification criteria for this hazard class

<u>CARCINOGENICITY</u> Does not meet the classification criteria for this hazard class

<u>REPRODUCTIVE TOXICITY</u> Does not meet the classification criteria for this hazard class

<u>STOT - SINGLE EXPOSURE</u> Does not meet the classification criteria for this hazard class

<u>STOT - REPEATED EXPOSURE</u> Does not meet the classification criteria for this hazard class

<u>ASPIRATION HAZARD</u> Does not meet the classification criteria for this hazard class

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Dibenzoyl peroxide LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants EC10 for Crustacea Chronic NOEC for Fish Chronic NOEC for Algae / Aquatic Plants

> 0,0602 mg/l/96h (OECD TG 203) > 0,11 mg/l/48h (OECD TG 202) > 0,0711 mg/l/72h (OECD TG 201) > 0,001 mg/l/28d (OECD TG 211) > 0,0316 mg/l 96 h > 0,02 mg/l 72 h



Revision nr. 8 Printed on 16/05/2019 Dated 15/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

mixture/product LC50 - Fish> 100 mg / I / 96h fish (OECD TG 203) EC50 - Crustaceans> 100 mg / I / 48h daphia magna (OECD TG 202) EC50 - Algae / Aquatic Plants> 100 mg / I / 72h algae - Pseudokirchneriella subcapitata (OECD TG 201 Acute and Chronic) NOEC Chronic Fish> 100 mg / l / 28 d fish, Juvenile Growth Test (OECD TG 215).

#### 12.2. Persistence and degradability

Dibenzoyl peroxide Rapidly degradable

71% in water 28 d (OECD TG 301 D)

### 12.3. Bioaccumulative potential

Dibenzoyl peroxide Partition coefficient:

n-octanol/water 3,2 Log Kow (OECD TG 117)

#### 12.4. Mobility in soil

Dibenzoyl peroxide Partition coefficient: soil/water

3,8 (OECD TG 121)

#### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects

Information not available

## **SECTION 13: Disposal considerations**

Non-hardened material (such as expired or damaged products and/or rejects): e.g. 08 04 09\* Glue and sealing materials waste containing organic solvents or other dangerous substances

Hardened material, e.g.:

08 04 10 Glue and sealing materials waste or other dangerous substances, other than classified under 08 04 09.

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

15 01 10\* Packaging containing residues of or contaminated by dangerous substances

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.



according to Annex II to REACH - Regulation 2015/830

Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

## **SECTION 14: Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

- 14.3. Transport hazard class(es) Not applicable
- 14.4. Packing group Not applicable
- 14.5. Environmental hazards Not applicable
- 14.6. Special precautions for user Not applicable
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Information not relevant

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 **Product** Point 3

Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH) None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None

Substances subject to the Rotterdam Convention: None

Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

Substances subject to the Stockholm Convention: None

#### Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available riskassessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/ EC directive is respected.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

## **SECTION 16: Other information**

Text of hazard (H) indications mentioned in section 2-3 sheet:

Org. Perox B	Organic peroxide, category B
Eye Irrit. 2	Eye irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H241	Heating may cause a fire or explosion.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.



Revision nr. 8 Dated 15/05/2019 Printed on 16/05/2019 Replaced revision: 7 (Dated 21/08/2017)



## TRADE NAME: POINT 416 POLY FIX / COMP B

- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition

- IFA GESTIS website- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review: The following sections were modified: 05

