

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.09.2023

Version number 1

Revision: 01.03.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
Trade name: Fome Flex Acrylized Silicone
 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Sealant Construction chemicals
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:
UAB TEGRA STATE · Savanoriu ave 178A, LT-03154 Vilnius, LITHUANIA · Tel.:+37052661167 · www.tegrastate.eu · E-mail: info@tegragroup.eu
• 1.4 Emergency telephone number: European emergency number: 112 (24h)
SECTION 2: Hazards identification
· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void Precautionary statements Additional information: Keep out of reach of children. EUH208 Contains 1,2-benzisothiazol-3(2H)-one, a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No
247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1). May produce an allergic reaction. Contains biocidal products: a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2- methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1) • 2.3 Other hazards
· Results of PBT and vPvB assessment
• PBT: Not applicable.
 vPvB: Not applicable. Determination of endocrine-disrupting properties
The product does not contain substances with endocrine disrupting properties.
SECTION 3: Composition/information on ingredients
· 3.2 Mixtures
Description: Mixture of substances listed below with nonhazardous additions. (Contd. on page 2) GB GB

Version number 1

Revision: 01.03.2021

Safety data sheet

according to 1907/2006/EC, Article 31

Trade name: Fome Flex Acrylized Silicone

Dangerous comp	onents:	
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.01%
EINECS: 220-120-9	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 55965-84-9	a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1)	<0.0015%
	♦ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ♦ Skin Corr. 1C, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ♦ Skin Sens. 1A, H317, EUH071	
	Specific concentration limits: Skin Corr. 1C; H314: $C \ge 0.6 \%$	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

If symptoms persist, consult doctor.

· After swallowing: Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Nitrogen oxides (NOx).

Carbon monoxide (CÓ).

Carbon diooxide (CO2).

Product during a fire will produce dense black smoke.

- · 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter sewers / surface or ground water.

(Contd. on page 3)

h acute and delayed ion and special treatment needed

GB

Version number 1

Revision: 01.03.2021

(Contd. of page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Trade name: Fome Flex Acrylized Silicone

- Inform respective authorities in case of seepage into water course or sewage system. • 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Ensure good ventilation / exhaustion at the workplace.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect from heat.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Store only in the original receptacle.
- Information about storage in one common storage facility:
- Do not store together with acids.
- Do not store together with alkalis (caustic solutions).
- Store away from oxidising agents.
- Further information about storage conditions: Protect from frost.
- Keep container tightly sealed.
- Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- · Ingredients with limit values that require monitoring at the workplace:
- CAS: 28553-12-0 diisononyl phthalate
- WEL Long-term value: 5 mg/m³
- · Regulatory information WEL: EH40/2011
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work. Do not eat, drink, smoke or sniff while working.
- Do not eat, drink, smoke or snift while while while while while which contact with the even and skip
- Avoid contact with the eyes and skin.
- The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection



Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Version number 1

Revision: 01.03.2021

Safety data sheet

according to 1907/2006/EC, Article 31

Trade name: Fome Flex Acrylized Silicone

· Material of gloves

Polyethylene gloves.

Recommended thickness of the material: ≥ 0.02 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Short-term contact ≥10 min (EN 374)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Safety glasses

EN 166

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

·9.1 Information on basic physical and chemic	al properties
· General Information	
· Physical state	Liquid
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined
 Melting point/freezing point: 	Not determined
 Boiling point or initial boiling point and 	
boiling range	Not determined
· Flammability	Not applicable
Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
Auto-ignition temperature:	Void
 Decomposition temperature: 	Not determined
·pH	Not determined
· Viscosity:	
Kinematic viscosity	Not determined
· Dynamic:	Not determined
· Solubility	
· water:	Not miscible or difficult to mix
· Partition coefficient n-octanol/water (log	
value)	Not determined
· Vapour pressure:	Not determined
· Density and/or relative density	
· Density:	Not determined
· Relative density	Not determined
· Vapour density	Not determined
· Relative gas density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Paste
· Important information on protection of health	
and environment, and on safety.	
· Ignition temperature:	Product is not solfigniting
· Explosive properties:	Product is not selfigniting Product does not present an explosion hazard
	· ·
	(Contd. on page 5)
	Gi

(Contd. of page 3)

Version number 1

Revision: 01.03.2021

Safety data sheet

according to 1907/2006/EC, Article 31

Trade name: Fome Flex Acrylized Silicone

		(Contd. of page
· Change in condition		
· Evaporation rate	Not determined	
· Information with regard to physical haz	ard	
classes		
· Explosives	Void	
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 1344-09-8 Silicic acid, sodium salt

- Oral LD50 500 mg/kg (ATE)
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 01.03.2021

Trade name: Fome Flex Acrylized Silicone

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

Printing date 20.09.2023

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- \cdot 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Version number 1

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Do not allow to enter surface or ground water.

Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department. Remove in accordance with applicable legislation.

European waste catalogue

15 01 02 plastic packaging

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Not applicable	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Not applicable	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Not applicable	
· 14.4 Packing group · ADR, IMDG, IATA	Not applicable	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according IMO instruments 	ng to Not applicable.	
· UN "Model Regulation":	Not applicable	
		— GE

(Contd. on page 7)

Version number 1

Revision: 01.03.2021

Trade name: Fome Flex Acrylized Silicone

(Contd. of page 6)

SECTION 15: Regulatory information
 • 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 1907/2006/CE Regulation, UK REACH 1272/2008/CE Regulation, GB CLP 2020/878/UE Regulation
 Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 52a
 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.
· REGULATION (EU) 2019/1148
 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.
· Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer – ANNEX I (Ozone- depleting potential)

· Other regulations, limitations and prohibitive regulations

Restrictions on the marketing and use of certain dangerous substances and mixtures (UK REACH Annex XVII):

No restrictions

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- Toxic if swallowed. H301
- H302 Harmful if swallowed.
- Fatal in contact with skin. H310
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- Very toxic to aquatic life with long lasting effects. H410
- EUH071 Corrosive to the respiratory tract.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 3: Acute toxicity Category 3
- Acute Tox. 4: Acute toxicity Category 4

GB

Version number 1

Revision: 01.03.2021

Safety data sheet according to 1907/2006/EC, Article 31

Trade name: Fome Flex Acrylized Silicone

Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 (Contd. of page 7)

GB —