

Printing date 04.08.2021 Revision: 04.08.2021 Page 1

Fome Flex Thermo High Temperature Silicone Sealant 300 ml

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: Fome Flex Thermo High Temperature Silicone Sealant

Article number: 01-4-2-006

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Sealant

Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

UAB TEGRA STATE

Savanoriu ave 178A, LT-03154 Vilnius, LITHUANIA

Tel.:+37052661167 www.tegrastate.eu

E-mail: info@tegragroup.eu

1.4 Emergency telephone number

Emergency telephone number: European emergency number: 112 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void Signal word Void Hazard statements Void

Additional information: Keep out of reach of children.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.





Printing date 04.08.2021 Revision: 04.08.2021 Page 2

Fome Flex Thermo High Temperature Silicone Sealant 300 ml

SECTION 3: Composition/information on ingredients

3.1 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 17689-77-9	ethyltriacetoxysilane	<3.0%
EINECS: 241-677-4 Reg.nr.: 01-2119881778-15-XXXX	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302, EUH014	
CAS: 4253-34-3 EINECS: 224-221-9 Reg.nr.: 01-2119962266-32	Methylsilanetriyl triacetate	<1.5%
	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302, EUH014	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing:

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fire with alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents: Water with full jet.





Printing date 04.08.2021 Revision: 04.08.2021 Page 3

Fome Flex Thermo High Temperature Silicone Sealant 300 ml

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO).

Nitrogen oxides (NOx).

Carbon diooxide (CO2).

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Keep away from ignition sources.

6.2 Environmental precautions:

Do not allow to enter sewers / surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility:

Store away from oxidizers.

Store away from foodstuffs.

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

7.3 Specific end use(s):

No further relevant information available.





Page 4

Printing date 04.08.2021 Revision: 04.08.2021

Fome Flex Thermo High Temperature Silicone Sealant 300 ml

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not necessary if room is well-ventilated.

Hand protection

EN 374



Protective gloves

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

Polyethylene gloves.

Recommended thickness of the material: 3 0.02 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Short-term exposure ≥ 10 min (EN 374)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

EN 166



Body protection: Protective work clothing.





Printing date 04.08.2021 Revision: 04.08.2021 Page 5

Fome Flex Thermo High Temperature Silicone Sealant 300 ml

SECTION 9: Physical and chemical propertie

9.1 Information on basic physical and chemical properties

General Information

Colour: Various colours Odour: Characteristic **Odour threshold:** Not determined Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range Not determined **Flammability** Not applicable

Lower and upper explosion limit

Not determined Lower: **Upper:** Not determined Flash point: Not applicable

Auto-ignition temperature: Product is not selfigniting

Decomposition temperature: Not determined

Viscosity:

Kinematic viscosity Not determined Not determined **Dynamic**:

Solubility

Not miscible or difficult to mix water:

Partition coefficient n-octanol/water (log

Not determined value) Not determined Vapour pressure:

Density and/or relative density

Not determined **Density:** Not determined **Relative density Vapour density** Not determined

9.2 Other information

Appearance:

Form: **Paste** Important information on protection of health

and environment, and on safety.

Explosive properties: Product does not present an explosion hazard

Change in condition

Evaporation rate Not determined

Information with regard to physical hazard

classes

Explosives Void Void Flammable gases Void **Aerosols Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit





Printing date 04.08.2021 Revision: 04.08.2021 Page 6

Fome Flex Thermo High Temperature Silicone Sealant 300 ml

flammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoidDesensitised explosivesVoid

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5** Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

 $CAS: 17689-77-9\ Triacetoxy (ethyl) silane + CAS: 4253-34-3\ Methyl silane triyl\ triacetate < 5\%-not\ classified * 17689-77-9\ Triacetoxy (ethyl) silane + CAS: 4253-34-3\ Methyl silane triyl\ triacetate < 5\%-not\ classified * 17689-77-9\ Triacetoxy (ethyl) silane + CAS: 4253-34-3\ Methyl silane triyl\ triacetate < 5\%-not\ classified * 17689-77-9\ Triacetoxy (ethyl) silane + CAS: 4253-34-3\ Methyl silane triyl\ triacetate < 5\%-not\ classified * 17689-77-9\ Triacetoxy (ethyl) silane + CAS: 4253-34-3\ Methyl silane triyl\ triacetate < 5\%-not\ classified * 17689-77-9\ Triacetoxy (ethyl) silane + CAS: 4253-34-3\ Methyl silane triyl\ triacetate < 5\%-not\ classified * 17699-77-9\ Triacetoxy (ethyl) silane + CAS: 4253-34-3\ Methyl silane triyl\ triacetate < 5\%-not\ classified * 17699-77-9\ Triacetoxy (ethyl) silane + CAS: 4253-34-3\ Methyl silane triyl\ triacetate < 5\%-not\ classified * 17699-77-9\ Triacetoxy (ethyl) silane + CAS: 4253-34-3\ Methyl silane triyl\ triacetate < 5\%-not\ classified * 17699-77-9\ Triacetate < 5\%-$

*Source ECHA - not irritating.

Guideline: OECD Guideline 405 (rabbit)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.





Printing date 04.08.2021 Revision: 04.08.2021 Page 7

Fome Flex Thermo High Temperature Silicone Sealant 300 ml

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- **12.2** Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dispose of in a safe manner in accordance with local / national regulations.

Do not allow to enter surface or ground water.

Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA Not applicable

14.2 UN proper shipping name

ADR, IMDG, IATA Not applicable

14.3 Transport hazard class(es)
ADR, ADN, IMDG, IATA

Class Not applicable





Printing date 04.08.2021 Revision: 04.08.2021 Page 8

Fome Flex Thermo High Temperature Silicone Sealant 300 ml

14.4 Packing group

ADR, IMDG, IATA Not applicable

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

1907/2006/CE Regulation, REACH 1272/2008/CE Regulation, CLP 2020/878/UE Regulation

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Other regulations, limitations and prohibitive regulations No restriction Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.





Printing date 04.08.2021 Revision: 04.08.2021 Page 9

Fome Flex Thermo High Temperature Silicone Sealant 300 ml

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. EUH014 Reacts violently with water.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

